Google™  |link manager identifier url source document  |   · Search Patents  ·|

## Patents

Patents **1 - 10** on **link manager identifier url source document**. (0.06 seconds)

### Generalized system for automatically hyperlinking multimedia product documents
US Pat. 7010742 - Filed Sep 22, 1999 - Siemens Corporate Research, Inc.
A **link manager** is needed to manage the **link** files and provide an API for other
... **Source identifier** 12 parses a **source** specification to identify the ...

### WANDOCS WANDOCS
US Pat. 7127670 - Filed Dec 21, 2001 - Field Type
The method of claim 6 wherein the file type is a word processing **document**, a
spreadsheet **document**, a database record, an email record or a **URL link**. 8. ...

### System for adding requested document cross references to a document by annotation proxy configured to merge and a directory generator and annotation server
US Pat. 5822539 - Filed Dec 8, 1995 - Sun Microsystems, Inc.
Each **document** is identifiable by a unique **document identifier**. ... includes a
cross ref-erence **document source** field 194 and a match pattern field 195. ...

### Network management using browser-based technology
US Pat. 5987513 - Filed May 6, 1997 - WIPRO Limited
Alternatively, a user may provide the complete **URL** with the **identifier** of the
... **document** as explained above with reference to Appendices IV, V, and III. ...

### Managing changes to a directory of electronic documents
US Pat. 6941302 - Filed Aug 14, 2003 - Inktomi Corporation
Each **identifier** number is unique; every line in a tax-onomy log has a ... An IN
judgment is a judgment that specifies that a **URL** is within or "in" a ...

### System and method of dynamically generating an electronic document based upon data analysis
US Pat. 6654754 - Filed Dec 8, 1999 - Inceptor, Inc.
The BASE element defines an absolute **URL** that resolves relative urls within the
**document**. The **LINK** element defines relation-ships between the **document** and ...

### Method and apparatus for providing multiple management interfaces to a network device
US Pat. 6008805 - Filed Jul 19, 1996 - Cisco Technology, Inc.
40 50 60 10 **source** MIB **document**. This feature, while not required by the ...
which it should be changed, are encoded in the **URL** field of the hypertext **link**. ...

### OTHER PUBLICATIONS
US Pat. 7124358 - Filed Jan 2, 2002
When the user of the browser specifies a **link** via a **URL**, ... of the invention to
dynamically generate a reference **identifier** in an electronic **document** and ...

### System and method of obfuscating data
US Pat. 6981217 - Filed Dec 8, 1999 - Inceptor, Inc.
The BASE element defines an absolute **URL** that resolves relative urls within the
**document**. The **LINK** element defines relation-ships between the **document** and ...

## Content management system
US Pat. 6356903 - Filed Dec 30, 1998 - American Management Systems, Inc.
Attribute 55 60 65 Reference ID (PK) Reference Type Reference Description
**URL**/Program Short Name Long Name Attribute Description Unique **identifier** for each ...

# Goooogle ▶
Result Page:      1 2 3 4      **Next**

|link manager identifier url source document ¦      Search Patents      |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

©2007 Google

# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L32 | 2 | 707/100.ccls. and hierarch$4 with link$4 with (identifier or tag or id) and url | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 17:14 |
| L33 | 4 | 707/101.ccls. and hierarch$4 with link$4 with (identifier or tag or id) and url | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 17:48 |
| L40 | 4 | 707/102.ccls. and hierarch$4 with link$4 with (identifier or tag or id) and url | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 18:03 |
| L41 | 0 | 715/500.ccls. and hierarch$4 with link$4 with (identifier or tag or id) and url | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 18:02 |
| L42 | 2 | 715/514.ccls. and hierarch$4 with link$4 with (identifier or tag or id) and url | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 18:03 |
| L43 | 0 | 707/1.ccls. and hierarch$4 with link$4 with (identifier or tag or id) and url | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 18:03 |
| L44 | 3 | 707/104.1.ccls. and hierarch$4 with link$4 with (identifier or tag or id) and url | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 18:05 |
| L45 | 86 | hierarch$4 with link$4 with (identifier or tag or id) and url | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 18:08 |

| L46 | 2 | hierarch$4 with link$4 with (identifier or tag or id) and url and document and link$3 with manager | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 18:07 |
|------|------|------|------|------|------|------|
| L47 | 11 | hierarch$4 with link$4 with (identifier or tag or id) and url and document and link$3 with manage$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 18:08 |
| L48 | 72 | hierarch$4 with link$4 with (identifier or tag or id) and url and source | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 18:08 |
| L49 | 24 | hierarch$4 with link$4 with (identifier or tag or id) and url and source and markup with language | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 18:09 |

# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L57 | 22238 | user with (list$3 or hierarch$4 or tree) with (defin$4 or determin$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 19:01 |
| L58 | 210 | user with (list$3 or hierarch$4 or tree) with (defin$4 or predetermin$4) with (link or url or tag) and markup and manage$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 19:02 |
| L59 | 157 | user with (list$3 or hierarch$4 or tree) with (defin$4 or predetermin$4) with (link or url or tag) and markup and manage$6 and source | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 19:03 |
| L60 | 22 | user with (list$3 or hierarch$4 or tree) near (defin$4 or predetermin$4) with (link or url or tag) and markup and manage$6 and source | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/26 19:03 |

Google Scholar BETA

**Scholar** All articles <u>Recent articles</u> Results **11** - **20** of about **1,900** for **link manager identifier url source d**

**All Results**

<u>P Pirolli</u>

<u>D De Roure</u>

<u>J Pitkow</u>

<u>L Denoue</u>

<u>D Michaelides</u>

<u>Network management using browser-based technology - group of 2 »</u>
N Prithviraj, MT Raghunath, VR Verma, HV Natarajan ... - US Patent 5,987,513, 1999 -
Google Patents
... a file, and specifying the file **identifier** as an ... **URL**) associated with the hypertext
**link** as is ... or more corresponding identifiers (eg, **Management** Informa -tion ...
Cited by 26 - Related Articles - Web Search

<u>The valid web: it's time to go</u> - group of 5 »
F Grandi, F Mandreoli - Time Center, Technical Report, TR-46, 1999 - cs.auc.dk
... historical information and temporal data **management** capabili- ties ... is a time-invariant
**identifier**, is transformed ... are retrieved by following a **link**, enabling a ...
<u>Cited by 15</u> - <u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>A Semantic Approach to XML-based Data Integration</u> - <u>group of 7 »</u>
P Rodriguez-Gianolli, J Mylopoulos - Proc. ER'01, 2001 - Springer
... **links**, which play a central role when performing object **identification** and object ...
**url** mappingName ... XML CDATA, ID and ENUM attribute, and a **link** attribute for ...
<u>Cited by 21</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Knowledge management in a distributed organisation</u> - <u>group of 9 »</u>
M Dzbor, J Paralic, M Paralic - Proc. of the BASYS, 2000 - kmi.open.ac.uk
... we look briefly at the **identification** and acquisition ... in a template one association
**link** is created ... in OR Society Conference on Knowledge **Management**, London, Nov ...
<u>Cited by 21</u> - <u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>Computer-based presentation **manager** and method for individual **user-device data representation**</u>
R Hofmann, T Schulz, B Eilers, T Pfohe - 2001 - freepatentsonline.com
... device type operation 406 uses the session **identification** to retrieve ... a transmission
**link** to a LAN, a **link** to the ... 0158] Thus, presentation **manager** 113, portlets ...
Cached - Web Search

<u>Semantic annotation and transcoding: making Web content moreaccessible -</u>
<u>group of 5 »</u>
K Nagao, Y Shirai, K Squire - Multimedia, IEEE, 2001 - ieeexplore.ieee.org
... annotations and a server for the **management** of annotations. ... XPath—for example, a
location **identifier** in the ... of target **documents** before clicking on the **links**. ...
<u>Cited by 54</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>System and program for processing special characters used in dynamic</u>
<u>documents</u>
I Ooish - 2001 - freepatentsonline.com
... specify a character pattern dictionary, file **identifier** for image ... described the special
character image **management** program 43 ... 54 replaces it with a **link** to its ...
<u>Cached</u> - <u>Web Search</u>

<u>A distributed hypermedia operating system: Net-BTRON</u> - <u>group of 3 »</u>

Y Shigesada, N Koshizuka, K Sakamura - Communication Technology Proceedings, 2000.
WCC-ICCT 2000. ..., 2000 - ieeexplore.ieee.org
... tains a remote node **identifier** and cxtra spaces reserved for ... Thc main API of the
filc **manager** consists of six ... node is a local node, it only returns the **LINK** ...
Related Articles - Web Search

## Policy-based content delivery: an active network approach - group of 9 »
G MacLarty, M Fry - Computer Communications, 2001 - Elsevier
... slow down delivery time across the high-speed **link**. ... database and identified with
a **user identification** key. ... to caching functions via the Cache **Manager** will be ...
Cited by 13 - Related Articles - Web Search

## Consistency Management of Distributed Documents using XML and Related Technologies - group of 4 »
E Ellmer, W Emmerich, A Finkelstein, D Smolko, A ... - Research Note, 1999 - cs.ucl.ac.uk
... It allows **identification**, exchange and processing of distributed data in a manner
that is mutually understood. ... Consistency **Link** Generator ... Consistency **Manager** ...
Cited by 22 - Related Articles - View as HTML - Web Search

◄ Gooooooooooogle ►
Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11     **Next**

| link manager identifier url source do( | Search |

Google Home - About Google - About Google Scholar